TOWN & VILLAGE OF WATERBURY OVERLAY DISTRICT APPLICATION

Date:	Application #:	
Fees Paid:	(\$10 recording fee already paid)	
Parcel ID #:		
Tax Map #:		

This Overlay District Application supplements the Zoning Permit Application. Please provide all of the information requested in both applications. Read the Zoning Regulations and familiarize yourself with the requirements. Failure to provide all the required information will delay the process of this application. Submit one copy of the completed application and a check payable to the Town of Waterbury according to the zoning fee schedule. For questions about the permit process please contact the Zoning Administrator at 244-1018.

PROJECT DESCRIPTION

Brief description of project:					

Fill out only the relevant section(s) & utilize the following checklists to ensure your plans include all the required information.

DOWNTOWN DESIGN REIVEW OVERLAY DISTRICT (DDR)

DESIGN STANDARDS:

For Historic Structures (applying to all structures listed on the National Register of Historic Places):

- Original materials or materials typical of the architectural style are preserved or replaced with like materials to the extent feasible and appropriate.
- Historic building features shall be preserved or replicated to the extent feasible and appropriate.

For projects within the Historic/Commercial Sub-District:

- New building designs shall reinforce historic streetscape patterns, including orientation and setbacks.
- New buildings shall maintain overall height, size, massing, scale, and proportions compatible with those of buildings in the vicinity.
- New additions are designed to complement and be compatible with the original structure.
- □ Project design reinforces a pedestrian streetscape.
- On-site utilities shall be buried and utility boxes are screened from public view if the utilities along the street serving that structure are also buried.
- Buildings, or portions thereof, having eaves heights of 20feet or less above ground level incorporate moderately to steeply pitched roofs, unless the another roof type is appropriate.

For projects within the Mixed-Use Sub-District:

- Building sites, including road and pedestrian networks, are designed in a manner that is integrated and compatible with adjoining parcels and areas.
- A proposed project located next to or facing a historic structure incorporates similar or complementary building features.
- New buildings are oriented to front upon, and relate both functionally and visually to, primary access roads.
- On-site parking is situated to the rear or on the sides of structures, where feasible and appropriate.
- ☐ The primary facades of principal structures are clearly defined through the placement of one or more prominent entryways, pedestrian walkways, or landscaping features.
- Building facades and rooflines are designed so as to reduce the perceived mass, scale, and uniform impersonal appearance of large buildings and additions, and to provide visual interest.
- Clearly defined pedestrian walkways are provided through parking areas, between buildings, and from public sidewalks to the site.

SUBMISSION REQUIREMENTS:

- □ All information required under Site Plan (see Site Plan Application)
- Proposed architectural elevations (for each exterior wall) showing door and window types and placement, and other exterior details
- A description of all materials to be used on the exterior of building
- □ Photos of the existing building(s) on the site and adjacent and facing parcels
- □ For demolition of a structure listed on the National Register of Historic Places see additional requirements within the Regulations.

RIDGELINE, HILLSIDE, STEEP SLOPE OVERLAY DISTRICT (RHS)

REVIEW STANDARDS:	SUBMISSION REQUIREMENTS :
For both Minor & Major Development Projects see	Minor Development Projects (1,200—1,499 FIE)
Conditional Use Criteria	□ All information required under Site Plan
For Major Development Projects:	Review (see Site Plan Review Application)
Screening	□ Completed Conditional Use Application
Access	Major Development Projects (1,500 & up FIE)
Placement of Structures	☐ All information required under Site Plan
Exterior Lighting	Review (see Site Plan Review Application)
Clearcutting and Pre-Development Site Preparation	1
Natural Resources	
Building Design	Grading Plan
_ 0 0	□ Visibility Studies
	□ Stormwater Drainage/Erosion Control Plan
	□ Landscape Plan
	□ Access Plan □ Natural Features
SPECIAL FLOOD HAZARD AREA OVER	LAY DISTRICT (SFHA)
DESIGN STANDARDS:	
	_ All fuel storage tanks are either elevated or floodproofed.
All substantial improvements and new construction (includ	
-	tely anchored to prevent flotation, collapse, release, or lateral
movement of the structure	toly unonorou to provone notation, compact, resource, or interne
Constructed with materials resistant to flood damage	
Constructed by methods and practices that minimize fl	lood damage
	bing and air-conditioning equipment and other service facilities
	ater from entering or accumulating within the components
during conditions of flooding	uter from entering of decumulating within the components
	s that are greater than 50 lots or 5 acres, whichever is the lesser
	tion data. See Regulations for additional subdivision standards.
	e useable solely for parking of vehicles, building access, or
•	ned to automatically equalize hydrostatic flood forces on exterior
walls by allowing for the entry and exit of floodwate	* *
A non-residential, appurtenant structure of 500 sf or le	
	eed on the building site so as to offer the minimum resistance to
the flow of floodwaters	ou on the bunding one so us to oner the imminum resistance to
	ions and/or floodway limits have not been determined, new
	t be permitted unless it is demonstrates additional standards
(see Regulations)	· · · · · · · · · · · · · · · · · · ·
	residential structures within Zones A1-30, and AE must have
	ing basement) elevated to at least one foot above the base flood
level.	
	and practices which minimize flood damage. Manufactured
	n such that the lowest floor of the manufactured home is at least
	be anchored to an adequately anchored foundation to resist
flotation collapse, or lateral movement.	and an end of the state of the
_	non-residential structures within Zones A1-30, and AE shall:
☐ Have the lowest floor (including basement) elevated to a	
	ture is water tight with walls substantially impermeable to the
- De designed so that below the base hood level the struct	tare to mater tight with want substantially imperincable to the

passage of water with structural components having the capability of resisting hydrostatic and hydrodynamic loads and

	professional engineer or architect shall de Adequate drainage paths shall be require proposed structures The flood carrying and sediment transpose be maintained, and any alteration or re-	nded to be made was evelop and/or review ed around structure rt capacity within the relocation shall not be must be placed in	tertight below the base flood level a registered w structural design s on slopes to guide floodwaters around and away from the altered or relocated portion of any watercourse shall result in any decrease of stream stability. To over the stream, must obtain a stream alteration
	Plans in triplicate, drawn to scale, showin dimensions, contours, and elevation of the and location on the site of existing or proputures, fill or storage of materials; the locations of streets, water supply, and sanitary the relation of the above to the location of floodway, and base flood elevation Specifications for building construction at floodproofing, mining, dredging, filling, g excavation, or drilling, channel improvem materials, water supply, and sanitary facil Base flood elevation data for all subdivisions truction, and substantial improvements. The elevation, in relation to mean sea lever floor, including basement, of all new consubstantial improvement of structures. Where floodproofing is used in lieu of elevation.	e lot; the size posed struc- tion and eleva- y facilities; and f the channel, and materials, grading, paving, nent, storage of lities ons, new con- el, of the lowest struction or vation, the ele-	Where an application requires Board review the application shall include certification by a registered professional engineer or architect demonstrating that the proposed development will not increase base flood elevations more than 0.25 foot Certification by a registered professional engineer or architect demonstrating compliance with the elevation requirements A description of the extent to which any watercourse will be altered or relocated as a result of the proposed development A Vermont Agency of Natural Resources Project Review Sheet for the proposal Proposed floodproofing must be supported by a FEMA Floodproofing Certificate
Co Ap	ompletion to ensure the project conforms to pplication for additional information. GNATURES The undersigned hereby	loodproofed appleting the project the Special Flood I	the Applicant must apply for and receive a Certificate of Hazard Area Regulations. See Certificate of Completion mg Permit for the use described in this application to be made herein all of which the applicant swears to be com-

CONTACT

Zoning Administrator Phone: (802) 244-1018

Mailing address: Waterbury Municipal Offices, 51 South Main Street, Waterbury, VT 05676

Municipal Website: www.waterburyvt.com

Property Owner Signature

date