TOWN & VILLAGE OF WATERBURY OVERLAY DISTRICT APPLICATION

Date:	Application #:
Fees Paid:	(\$10 recording fee already paid)
Parcel ID #:	
Tax Map #:	
rax map n.	

This Overlay District Application supplements the Zoning Permit Application. Please provide all of the information requested in both applications. Read the Zoning Regulations and familiarize yourself with the requirements. Failure to provide all the required information will delay the process of this application. Submit one copy of the completed application and a check payable to the Town of Waterbury according to the zoning fee schedule. For questions about the permit process please contact the Zoning Administrator at 244-1018.

PROJECT DESCRIPTION

Brief description of project:							

Fill out only the relevant section(s) & utilize the following checklists to ensure your plans include all the required information.

DOWNTOWN DESIGN REVIEW OVERLAY DISTRICT (DDR)

DESIGN STANDARDS:

For Historic Structures (applying to all structures listed on the National Register of Historic Places):

- Original materials or materials typical of the architectural style are preserved or replaced with like materials to the extent feasible and appropriate.
- Historic building features shall be preserved or replicated to the extent feasible and appropriate.

For projects within the Historic/Commercial Sub-District:

- New building designs shall reinforce historic streetscape patterns, including orientation and setbacks.
- New buildings shall maintain overall height, size, massing, scale, and proportions compatible with those of buildings in the vicinity.
- New additions are designed to complement and be compatible with the original structure.
- □ Project design reinforces a pedestrian streetscape.
- On-site utilities shall be buried and utility boxes are screened from public view if the utilities along the street serving that structure are also buried.
- Buildings, or portions thereof, having eaves heights of 20feet or less above ground level incorporate moderately to steeply pitched roofs, unless the another roof type is appropriate.

For projects within the Mixed-Use Sub-District:

- Building sites, including road and pedestrian networks, are designed in a manner that is integrated and compatible with adjoining parcels and areas.
- A proposed project located next to or facing a historic structure incorporates similar or complementary building features.
- New buildings are oriented to front upon, and relate both functionally and visually to, primary access roads.
- On-site parking is situated to the rear or on the sides of structures, where feasible and appropriate.
- ☐ The primary facades of principal structures are clearly defined through the placement of one or more prominent entryways, pedestrian walkways, or landscaping features.
- Building facades and rooflines are designed so as to reduce the perceived mass, scale, and uniform impersonal appearance of large buildings and additions, and to provide visual interest.
- Clearly defined pedestrian walkways are provided through parking areas, between buildings, and from public sidewalks to the site.

SUBMISSION REQUIREMENTS:

- All information required under Site Plan (see Site Plan Application)
- Proposed architectural elevations (for each exterior wall) showing door and window types and placement, and other exterior details
- A description of all materials to be used on the exterior of building
- □ Photos of the existing building(s) on the site and adjacent and facing parcels
- □ For demolition of a structure listed on the National Register of Historic Places see additional requirements within the Regulations.

Date created: Oct/Nov 2012. Updated: May 2016

RIDGELINE, HILLSIDE, STEEP SLOPE OVERLAY DISTRICT (RHS)

REVIEW STANDARDS:	SUBMISSION REQUIREMENTS :
For both Minor & Major Development Projects see	Minor Development Projects (1,200—1,499 FIE)
Conditional Use Criteria	□ All information required under Site Plan
For Major Development Projects:	Review (see Site Plan Review Application)
Screening	□ Completed Conditional Use Application
Access	Major Development Projects (1,500 & up FIE)
Placement of Structures	☐ All information required under Site Plan
Exterior Lighting	Review (see Site Plan Review Application)
Clearcutting and Pre-Development Site Preparation	
Natural Resources	-
Building Design	□ Grading Plan
_ 0 0	□ Visibility Studies
	□ Stormwater Drainage/Erosion Control Plan
	□ Landscape Plan
	□ Access Plan □ Natural Features
SPECIAL FLOOD HAZARD AREA OVERL	AY DISTRICT (SFHA)
DESIGN STANDARDS:	(3)
	All fuel storage tanks are either elevated or floodproofed.
All substantial improvements and new construction (includi	
_	ely anchored to prevent flotation, collapse, release, or lateral
movement of the structure	. ,
Constructed with materials resistant to flood damage	
Constructed by methods and practices that minimize flo	ood damage
	ing and air-conditioning equipment and other service facilities
	atter from entering or accumulating within the components
during conditions of flooding	the component
	that are greater than 50 lots or 5 acres, whichever is the lesser
	on data. See Regulations for additional subdivision standards.
	useable solely for parking of vehicles, building access, or
•	ed to automatically equalize hydrostatic flood forces on exterior
walls by allowing for the entry and exit of floodwater	· · ·
A non-residential, appurtenant structure of 500 sf or le	
	ed on the building site so as to offer the minimum resistance to
the flow of floodwaters	0
	ons and/or floodway limits have not been determined, new
	be permitted unless it is demonstrates additional standards
(see Regulations)	•
	residential structures within Zones A1-30, and AE must have
	ng basement) elevated to at least one foot above the base flood
level.	
	nd practices which minimize flood damage. Manufactured
_	such that the lowest floor of the manufactured home is at least
	be anchored to an adequately anchored foundation to resist
flotation collapse, or lateral movement.	
-	non-residential structures within Zones A1-30, and AE shall:
☐ Have the lowest floor (including basement) elevated to a	
	ure is water tight with walls substantially impermeable to the
= == acorgred by that below the base flood fevel the struct	are to tracer digita tricir trains substantianly iniperincasie to the

passage of water with structural components having the capability of resisting hydrostatic and hydrodynamic loads and

	Where a non-reside professional enging Adequate drainage proposed strue. The flood carrying be maintained Bridge and culver	neer or architect shall develop and/or rege paths shall be required around struct ctures. g and sediment transport capacity withing, and any alteration or relocation shall a	wat view ures n th not i	ertight below the base flood level a registered vistructural design on slopes to guide floodwaters around and away from e altered or relocated portion of any watercourse shall result in any decrease of stream stability. or over the stream, must obtain a stream alteration
SU	dimensions, conto and location on th tures, fill or storag tions of streets, w	drawn to scale, showing the location, ours, and elevation of the lot; the size he site of existing or proposed structe of materials; the location and elevater supply, and sanitary facilities; and above to the location of the channel,		Where an application requires Board review the application shall include certification by a registered professional engineer or architect demonstrating that the proposed development will not increase base flood elevations more than 0.25 foot Certification by a registered professional engineer or architect demonstrating compliance with the elevation requirements
	Specifications for floodproofing, mi excavation, or dri materials, water s Base flood elevati struction, and sub	building construction and materials, ning, dredging, filling, grading, paving, lling, channel improvement, storage of upply, and sanitary facilities on data for all subdivisions, new con- stantial improvements		A description of the extent to which any watercourse will be altered or relocated as a result of the proposed devel- opment A Vermont Agency of Natural Resources Project Review Sheet for the proposal Proposed floodproofing must be supported by a FEMA
	floor, including be substantial impro Where floodproof vation, in relation	relation to mean sea level, of the lowest assement, of all new construction or vement of structures ing is used in lieu of elevation, the eleto mean sea level, to which any structlimprovement will be floodproofed		Floodproofing Certificate
Co		the project conforms to the Special Flo		the Applicant must apply for and receive a Certificate of Iazard Area Regulations. See Certificate of Completion
SI	GNATURES	The undersigned hereby applies for a Z issued on the basis of the representatio plete and true.	onir ns n	ng Permit for the use described in this application to be nade herein all of which the applicant swears to be com-
		Applicant Signature		date

CONTACT

Zoning Administrator Phone: (802) 244-1018

Mailing address: Waterbury Municipal Offices, 28 North Main Street, Waterbury, VT 05676

Municipal Website: www.waterburyvt.com

Property Owner Signature

date